characteristics Laboratory Basic 2 with castors

Article: 9134 fabric

Dimensions in mm	Backrest:	H:	530
	Seat:	H:	470-610
		B:	460
		Т:	440
Packing data	Weight Volume	kg m³	17,0 0,16



Base equipment		Benefit
Laboratory qualification	Special art. Leather surface with antibacterial, antifungal and antimicrobial capacities.	Laboratory-appropriate equipment. Washable, disinfectable and easy-care.
Backrest	Large, ergonomically designed backrest to take the strain off the spine and muscles with integrated lumbar support	Healthy posture due to a hump providing support for the back in the lumbar region
	Backrest height adjustment convenient and easy to handle in sitting position	The support area can be adapted in accordance to the user's body size
Seat	Ergonomically designed seat with rounded front edge.	The round front edge of the seat prevents blocked circulation in the thighs.
Seat and backrest design	Fabric upholstery: Resistant, respiratory and comfortable fabric Duotec Selectable in following colours: Black (6801) Blue (6802) Grey (6811) Red (6803)	This high-quality fabric upholstery is breathable and can both absorb and expel moisture The extremely soft surface guarantees maximum comfort.
Seat height	Stepless seat height setting from 470-610 mm supported by safety gas spring with protective cover.	Seat height can be adapted to nearly 95 % of all body sizes, the cover protects the gas spring from dust and dirt.
Technology	Permanent contact backrest with additional seat inclination adjustment.	This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time. The backrest can also be locked into any tilt position if required.
		There is a continuously variable mechanism for tilting the seat forwards. This ensures that your posture remains relaxed even when you need to bend forwards into your work. Less pressure is exerted on the thigh area, which encourages steady circulation. The problem of sitting all hunched up is masterfully avoided thanks to a mechanism that ensures a minimum angle of 90° between your legs and upper body at all times.
	Quick adjustment	Every function can be operated comfortable and easy in sitting position.
Base	Anti-Shock lock Black 5 star base made from steel shape tube, powder-coatet, black. Flat design.	The backrest cannot accidentally spring forwards even after the lock has been released. Very high stability, longevity. Flat design prevents stumbling hazard.
Castors	Dual-wheel safety castors with load-sensitive brakes, for hard floors as standard.	Chairs are braked when not used which decreases the accident risk

bimos

bimos

characteristics Laboratory Basic 2 with castors

Article: 9134 fabric

Allicle. 9134 labile				
Dimensions in mm	Backrest:	H:	530	
	Seat:	H:	470-610	
		B:	460	
		T:	440	
Packing data	Weight Volume	kg m³	17,0 0,16	T
	Volume		-,	Same of
Materials		The materi	als used are recyclable.	Environmentally friendly.
Standards		DIN 68 87	7 German GS "safety tested" mark	Procuring is insured.
		of confirmi		
		9001	nagement System DIN EN ISO	
			EWG Nr. 1836/93	
		Environme 14001.	ntal Management System DIN ISO	
Warranty		10 year lor warranty.	ng term warranty, 3 years full	Guaranteed quality and high efficiency.

bimos

characteristics Laboratory Basic 2 with castors

Article: 9134 fabric

Dimensions in mm	Backrest:	H:	530
	Seat:	H:	470-610
		B:	460
		T:	440
Packing data	Weight	kg	17,0
	Volume	m³	0,16



Options		Benefit
Armrests	Loop armrest	Made of polyamide, adjustable in width (20 mm).
	Multifunctional armrest	The armrests are adjustable in height, width and depth to suit the individual user.
Accessories	Foot ring.	The foot ring can be retrofitted by attaching it to the chair column.
Options	Light grey frame	
	Polished aluminium base	