bimos

characteristics Laboratory Basic 3 with glides and footrest

Article: 9136 fabric

Dimensions in mm	Backrest:	H:	530
	Seat:	H:	660-910
		В:	460
		T:	440
Packing data	Weight	kg	20,0
	Volume	m³	0,16

Base equipment		Benefit
aboratory qualification	Special art. Leather surface with antibacterial, antifungal and antimicrobial capacities	Laboratory-appropriate equipment Washable, disinfectable and easy-care
ackrest	Large, ergonomically designed backrest to take the strain off the spine and muscles with integrated lumbar support	Healthy posture due to a hump providing support for the back in the lumbar region
	Backrest height adjustment convenient and easy to handle in sitting position	The support area can be adapted in accordance to the user's body size
eat	Ergonomically designed seat with rounded front edge	The round front edge of the seat prevents blocked circulation in the thighs
eat and backrest design	Fabric upholstery: Resistant, respiratory and comfortable fabric Duotec Selectable in following colours: Black (6801) Blue (6802) Grey (6811) Bdd (6802)	This high-quality fabric upholstery is breathable and can both absorb and expel moisture The extremely soft surface guarantees maximum comfort
eat height	Red (6803) Stepless seat height setting from 660-910 mm supported by safety gas spring with protective cover	Seat height can be adapted to nearly 95% of all body sizes, the cover protects the gas spring from dust and dirt
echnology	Synchronous mechanism with weight regulation	The synchronous mechanism ensures that the seat and backrest tilt are automatically adjusted in line with the user's current posture This results in in dynamic sitting which relaxes the muscles, relieves strain on the intervertebral disc, improves circulation and boosts concentration and performance considerably Continuously variable weight regulation system ensures that the backrest responds in accordance with the pressure which is applied The synchronous mechanism is particularly useful in cases where a frequent change in working posture is given
	Quick adjustment	All the adjustment functions allow quick and easy operation via levers while the user is sitting.
	Anti-Shock lock	The backrest cannot accidentally spring forwards even after the lock has been released.
ase	Black 5 star base made from steel shape tube, powder-coatet, black Flat design	Very high stability, longevity Flat design prevents stumbling hazard
lides	Wearproof plastic glides with a large surface area	Offer a superb level of stability
potrest	Height adjustable footrest	Footrest adapts to height adjustment and rotation of the seat Non-slip step

bimos

characteristics Laboratory Basic 3 with glides and footrest

Article: 9136 fabric

Antole: 9130 labite				
Dimensions in mm	Backrest:	H:	530	
	Seat:	H:	660-910	
		B:	460	
		T:	440	25
Packing data	Weight	kg	20,0	
	Volume	M3	0,16	24
Materials		The mater	als used are recyclable	Environmentally friendly
Standards		DIN 68 87 of confirmi	7 German GS "safety tested" mark	Procuring is insured
			inagement System DIN EN ISO	
			EWG Nr. 1836/93	
			ental Management System DIN ISO	
Warranty		10 year lor warranty	ng term warranty, 3 years full	Guaranteed quality and high efficiency

bimos

characteristics Laboratory Basic 3 with glides and footrest

Article: 9136 fabric

Dimensions in mm	Backrest:	H:	530
	Seat:	H:	660-910
		B:	460
		T:	440
Packing data	Weight	kg	20,0
	Volume	m³	0,16



Options		Benefit
Armrests	Loop armrest	Made of polyamide, adjustable in width (20 mm)
	Multifunctional armrest	The armrests are adjustable in height, width and depth to suit the individual user
Options	Light grey frame	
	Polished aluminium base	