Article: 9561

Dimensions in mm	Backrest:	H:	570
	Seat:	H:	590-870
		В:	470
Packing data	Weight Volume	kg m³	24 0,25



#### Base equipment

Base equipment		Benefit
Chair element (without upholstery)	The chair consists of two elements (1+1): The chair element with base and mechanism and the upholstery element (model 9588). Flex strip available in the colours Happy orange, Cool grey, Mars green or Ocean blue.	The 1+1 system enables you to adapt this chair for nearly every workplace scenario. The upholstery element and the chair element are both individually configurable and are freely combinable. Simple change of the upholstery elements, resulting in sustainability, flexibility and economy.
Seat and backrest	Ergonomically designed, wide at the bottom and narrow at the top.	Maximum liberty of action. Offers elbow-room without having to sacrifice the support of the back.
	Ergonomically designed seat with integrated pelvic support and rounded front edge of the seat.	The seat automatically encourages the correct posture and upright, healthy sitting. The round front edge of the seat prevents blocked circulation in the thighs.
	Upholster elements ("Klick-system" - changeable without any tools).	Sustainability, flexibility, economy, individuality and changeability
	Duotec fabric: Hard-wearing, breathable and comfortable fabric cover. Selectable in colour black (6801), blue (6802), grey (6811).	The upholstery is breathable and assimilates and releases humidity. The particularly soft cover guarantees a maximum sitting comfort and a pleasant sitting climate.
	Magic artificial leather: High-quality synthetic leather, washable, low-maintenance and impervious to oil and disinfecting agents. Selectable in colour black (MG01), blue (MG02), grey (MG11).	The soft and comfortable upholstery offers a very high sitting comfort. However, damages caused by sharp parts can not be excluded. Ideal for the use in production and laboratory.
	Integral foam (PU): The integral foam upholstery provides excellent resistance to external influences and ease of cleaning. Selectable in colour black (2000), blue (2001), grey (2002).	The use of integral foam is recommended for work environments where the chair is in contact with aggressive substances. The surface is insensitive, extremely robust, washable and simple and easy to clean. Very resistant against sharp objects.
	Supertec (a world novelty): Comfortable and soft, breathable and very resistant to external influences. Cut resistant, anti-slip and easy to clean. Selectable in colour black (SP01), blue (SP02), grey (SP11).	New cussion material for comfortable and robust workplace chairs in production areas. Offers an excellent sitting comfort thanks to a breathable lower tissue. Resists damages caused by sharp parts through the use of protective studs on the surface.
Seat height	Continuous seat height adjustment from 590 - 870 mm self-supporting safety gas spring with protective cover.	The seat height adjustment can be adapted to the body size and the height of workbenches. Wide range of height adjustment.

# bimos

Article: 9561

Dimensions in mm	Backrest:	H:	570
	Seat:	H:	590-870
		В:	470
Packing data	Weight Volume	kg m³	24 0,25

	Seat:	H:	590-870	
		B:	470	
Decking data	W/sight	ka	24	
Packing data	Weight Volume	kg m³	0,25	
				A .
Ergonomic package		Permanent	contact backrest (-2 to 19°)	Follows the user's movements and ensures that the back
				remains always fully supported. The lumbar region is ideally supported in all seating positions. The backrest
				can be locked in 4 different positions if required.
		Weight regu	ulation from 50 - 120 kg	Individual adjustment of the backrests and the backpressure to size and weight of the sitting person.
		Seat inclina	tion adjustable up to 9°	Avoids a tilt-back of the hips in a bending forward
				position. The bigger seat angle between the thighs and the upper body additionally relieves the organism.
		Shiftable se seat depth (	at for individual adjustment of the (60 mm)	Matches the depth of the seat to the size of the body, giving the best possible contact surface fort he thighs.
			ight adjustment easily and	Ensures best possible support of the back - especially in
		convenienti position (60	y to operate, also in a sitting mm)	the lumbar area. Adjustment possible for small and tall sized people.
		Quick adjus	tment	Every function can be operated easily and comfortably in a sitting position.
		Anti-shock I	ock	The backrest cannot accidentally spring forward even after the lock has been released
Base		Aluminium,	powder coated, black. Flat design.	Very high stability, longevity and steadiness. Flat design prevents stumbling hazard.
Glides		Wear proof	plastic glides with a large surface	Offer a superb level of stability.
		area.		
Foot rest		A very large	e, height-adjustable foot rest.	The foot rest rotates with the seat height adjustment as
				well as when the seat is swivelled. The very large step provides good grip and can be folded upwards by 90°.
		···· <u>-</u> , ····, ·,		· · · · · · · · · · · · · · · · · · ·
Materials		The materia recyclable.	als used are correctly sorted and	Environment-friendly.
Standards		DIN 68 877 German GS	s "safety tested" certificate	Procuring is insured High level of safety and comfort
			agement System DIN EN ISO	High quality product.
		Environmer	tal Management System DIN EN	
		ISO 14001 EMAS		
		OHSAS EcoVadis C	SR rating 2015 gold	
		Blue Angel		
		Non-toxic Fraunhofer	ergonomic report.	

Article: 9561

Dimensions in mm	Backrest:	H:	570
	Seat:	H:	590-870
		B:	470
Packing data	Weight	kg	24
	Volume	m³	0,25



Warranty

10 year long term warranty, 3 years full warranty.

. . . . . . . . . . . . .

Guaranteed quality and high efficiency.

Article: 9561

Options

Dimensions in mm	Backrest:	H:	570
	Seat:	H:	590-870
		В:	470
Packing data	Weight Volume	kg m³	24 0,25



#### Benefit

ArmrestsMultifunctional armrests<br/>Height-adjustable (by 110 mm in 11 levels),<br/>Width-adjustable (by 20mm each, continuously<br/>variable),<br/>Depth-adjustable (50 mm),<br/>Swivellable (30°),<br/>Soft.By the height adjustment of the armrests, a<br/>decompression of the neck musculature is achieved.OptionsAluminium base, polished.Very high stability, longevity and steadiness. Flat design<br/>prevents stumbling hazard.

## bimos