bimos

characteristics Unitec 3 with glides and footring

Article: 9651 fabric

Dimensions in mm	Seat:	H:	580-850
Packing data	Weight	kg	14,0
	Volume	m³	0,15



Base equipment		Benefit
Backrest	Large, ergonomically designed backrest to take the strain off the spine and muscles with integrated lumbar support.	Healthy posture due to a hump providing support for the back in the lumbar region.
	Backrest height adjustment convenient and easy to handle in sitting position.	The support area can be adapted in accordance to the user's body size.
Seat	Ergonomically designed seat with rounded front edge.	The round front edge of the seat prevents blocked circulation in the thighs.
Seat and backrest design	Fabric upholstery: Resistant, respiratory and comfortable fabric Citadel Selectable in following colours: Black (Cl01)	This fabric upholstery is breathable and can both absorb and expel moisture. The extremely soft surface guarantees maximum comfort.
Seat height	Blue (Cl02) Stepless seat height setting from 580 - 850 mm supported by safety gas spring with protective cover.	Seat height can be adapted to nearly 95 % of all body sizes, the cover protects the gas spring from dust and dirt.
Technology	Permanent contact-backrest	This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time.The backrest can also be locked into any tilt position if required.
	Quick adjustment	Every function can be operated comfortable and easy in sitting position.
Base	Black 5 star base made from plastic. Flat design.	Very high stability, longevity and safety Flat design prevents stumbling hazard.
Glides	Wearproof plastic glides with a large surface Area.	Offer a superb level of stability.
Foot ring	Chrome-plated foot ring, adjustable in height.	Provides support through the wide tread area and can be easily and quickly adjusted in height.
Materials	The materials used are recyclable.	Environmentally friendly.
Standards	DIN 68 877 German GS "safety tested" mark of confirmity Quality Management System DIN EN ISO 9001 Regulation EWG Nr. 1836/93 and Environmental	Procuring is insured.

bimos

characteristics Unitec 3 with glides and footring

Article: 9651 fabric

Dimensions in mm	Seat:	H:	580-850
Packing data	Weight Volume	kg m³	14,0 0,15
Warranty		10 year long term warranty.	warranty, 3 years full



Guaranteed quality and high efficiency.

bimos

characteristics Unitec 3 with glides and footring

Article: 9651 fabric

Dimensions in mm			
	Seat:	H:	580-850
Packing data	Weight	kg	14,0
	Volume	m³	0,15



Options

Armrests

Loop armrest Multifunctional armrest Benefit

Made of polyamide, adjustable in width (20 mm). The armrests are adjustable in height, width and depth to suit the individual user.